


Constrained set systems

Problem: How many subsets may an n -element set X contain, if each subset has odd size, but the intersection of each pair of distinct subsets has even size.

Formally: $\max k : \exists A_1, \dots, A_k \subseteq X : \forall i \neq j : 2 \nmid |A_i| \wedge 2 \mid |A_i \cap A_j|$

Example: $n = 5, k = 3$



Theorem: Under the prescribed constraints, there may exist at most n such subsets A_1, \dots, A_k .

Proof that $k \leq n$

Let $X = \{1, \dots, n\}$ and construct a matrix $\mathbf{M} \in \mathbb{Z}_2^{k \times n}$ such that:

$$m_{i,j} = \begin{cases} 1 & \text{if } j \in A_i \\ 0 & \text{if } j \notin A_i \end{cases}. \quad \text{In our example } \mathbf{M} = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 1 & 1 & 1 \end{pmatrix}$$

Observe that $\mathbf{M}\mathbf{M}^T = \mathbf{I}_k$, because over \mathbb{Z}_2 we have:

$$(\mathbf{M}\mathbf{M}^T)_{i,j} = \begin{cases} 1 & \text{if } i = j, \text{ as this is the parity of } |A_i|, \\ 0 & \text{if } i \neq j, \text{ as this is the parity of } |A_i \cap A_j|. \end{cases}$$

Now $k = \text{rank}(\mathbf{I}_k) = \text{rank}(\mathbf{M}\mathbf{M}^T) \leq \text{rank}(\mathbf{M}) \leq n$

Note: If we choose $\mathbf{M} \in \mathbb{R}^{k \times n}$, then $(\mathbf{M}\mathbf{M}^T)_{i,j} = |A_i \cap A_j|$.