

# Combinatorics

## Exercise 6 – Heawood & Vizing

### Homework

Deadline: **23. 11. 2022**

Send to: [matej@kam.mff.cuni.cz](mailto:matej@kam.mff.cuni.cz) (in PDF, preferably L<sup>A</sup>T<sub>E</sub>X, of course)

1. Prove that all bipartite graphs are Vizing class 1 (i.e.  $\chi'(G) = \Delta(G)$ ).
2. Show that for every (orientable) surface there are only finitely many mutually non-isomorphic connected 7-regular graphs with a drawing on that surface.
3. Construct a sequence of triangle-free graphs whose chromatic number goes to infinity.

### Problems

1. Find all (finitely many) connected graphs  $G$  for which  $\omega(L(G)) \neq \Delta(G)$ .
2. Let  $G$  be a graph and let  $d: V(G) \rightarrow \mathbb{N}$  be a function (recall that  $0 \in \mathbb{N}$ ). Use Edmonds' blossom algorithm to decide in polynomial time whether  $G$  contains a (non-included) subgraph  $H$  such that  $V(G) = V(H)$  and for every  $v \in V(H)$  it holds that  $\deg_H(v) = d(v)$ .
3. Use the four color theorem to show that for every planar vertex-2-connected 3-regular graph  $G$  it holds that  $\chi'(G) = 3$ .